

BOTHALIA

VOL. 23
INDEX — INDEKS



NATIONAL
*B*OTANICAL
INSTITUTE

ISSN 0006 8241

1993

BOTHALIA

'N TYDSKRIF VIR PLANTKUNDIGE NAVORSING
A JOURNAL OF BOTANICAL RESEARCH

Volume 23

Scientific Editor/Wetenskaplike Redakteur: O.A. Leistner
Technical Editor/Tegniese Redakteur: B.A. Momberg



NATIONAL
*B*OTANICAL
INSTITUTE


2 Cussonia Avenue, Brummeria, Pretoria / Private Bag X101, Pretoria 0001
Cussonialaan 2, Brummeria, Pretoria / Privaatsak X101, Pretoria 0001

ISSN 0006 8241

1993

ALBANY

UNIVERSITY OF THE STATE OF NEW YORK
BOTANICAL GARDEN



Digitized by the Internet Archive
in 2025

CONTENTS—INHOUD

	Page/Bladsy	Date/Datum
No. 1	1–174	May/Mei 1993
No. 2	175–347	Oct./Okt. 1993

	Page Bladsy
ALLSOPP, N. & STOCK, W.D. Mycorrhizal status of plants growing in the Cape Floristic Region, South Africa	91
BARKER, N.P. A biosystematic study of <i>Pentameris</i> (Arundineae, Poaceae)	25
BREDENKAMP, C.L. & SMITH, G.F. A ' <i>Bequaertiodendron</i> ' by any other name? (Sapotaceae)	235
BRUYNS, P. A new species of <i>Kedrostis</i> from the western Cape (Cucurbitaceae)	233
BURROWS, J.E. & EDWARDS, T.J. Nomenclatural changes and additions to the genus <i>Ophioglossum</i> in Africa (Ophioglossaceae: Pteridophyta)	185
CILLIERS, S.S. Synopsis of the genus <i>Brachylaena</i> (Asteraceae) in southern Africa	175
ECKHARDT, H.C., VAN ROOYEN, N. & BREDENKAMP, G.J. The vegetation of the northeastern Orange Free State, South Africa: physical environment and plant communities of the Ea land type	117
EDWARDS, T.J. Notes on the genus <i>Argyrolobium</i> (Crotalariaeae) including a new species from southern Africa (Fabaceae)	77
FELLINGHAM, A.C. Observations on <i>Cliffortia micrantha</i> (Rosaceae)	65
FELLINGHAM, A.C. <i>Cliffortia fasciculata</i> , a superfluous name for <i>C. amplexistipula</i> (Rosaceae)	67
GORTER, G.J.M.A. First report on the presence of <i>Enterobryus</i> species (Trichomycetes: Eccrinales) in South Africa and the description of three new species	85
KOEKEMOER, M. Synopsis of the genus <i>Disparago</i> (Asteraceae)	197
MCDONALD, D.J. The vegetation of the southern Langeberg, Cape Province. 1. The plant communities of the Boosmansbos Wilderness Area	129
MCDONALD, D.J. The vegetation of the southern Langeberg, Cape Province. 2. The plant communities of the Marloth Nature Reserve	153
MCDONALD, D.J. The vegetation of the southern Langeberg, Cape Province. 3. The plant communities of the Bergfontein, Rooiwaterspruit and Phesantefontein areas	239
MIDGLEY, J.J. An evaluation of Hutchinson's 'beetle-daisy' hypothesis (Asteraceae)	70
MIDGLEY, J.J. & GOBETZ, P.N. Dynamics of the forest vegetation of the Umtiza Nature Reserve, East London	111
MUSTART, P.J., MOLL E.J. & TAYLOR, H.C. The efficient use of small plots in a fynbos phytosociological study in the northern Cederberg: a quick way to collect plant-environmental data	265
NICHOLAS, A. & GOYDER, D.J. Validation of the combination <i>Aspidonepsis reenensis</i> (Asclepiadaceae): the type species of the subgenus <i>Unguilibium</i>	236
OLIVER, E.G.H. Studies in the Ericoideae (Ericaceae). XII. The placing of the genus <i>Blaeria</i> into synonymy under <i>Erica</i> ; nomenclatural and taxonomic changes for the southern African region	1
OLIVER, E.G.H. Studies in the Ericoideae (Ericaceae). XIII. Three new species of <i>Erica</i> from the southwestern Cape	9
OLIVER, E.G.H. A new species of <i>Oxalis</i> from the western Cape (Oxalidaceae)	72
PEROLD, S.M. The hepatics, <i>Symphyogyna podophylla</i> and <i>Pallavicinia lyelii</i> (Pallaviciniaceae) in southern Africa	15
PEROLD S.M. Studies in the Marchantiales (Hepaticae) from southern Africa. 1. The genus <i>Dumortiera</i> and <i>D. hirsuta</i> ; the genus <i>Lunularia</i> and <i>L. cruciata</i>	49
PEROLD, S.M. The hepatic, <i>Calycularia crispula</i> (Metzgeriales) reported from Malawi and Zambia (Allisoniaceae)	79
PEROLD, S.M. Studies in the Marchantiales (Hepaticae) from southern Africa. 2. The genus <i>Athalamia</i> and <i>A. spathysii</i> ; the genus <i>Oxymitra</i> and <i>O. cristata</i>	207
PEROLD, S.M. Studies in the Marchantiales (Hepaticae) from southern Africa. 3. The genus <i>Targionia</i> and <i>T. hypophylla</i> with notes on <i>T. lorbeeriana</i> and <i>Cyathodium foetidissimum</i> (Targioniaceae)	215
PEROLD, S.M. The hepatic, <i>Jensenia spinosa</i> (= <i>Pallavicinia stephanii</i> : Pallaviciniaceae) in southern Africa	223
PIENAAR, B.J. <i>Vigna kokii</i> , a new species from southern Africa (Fabaceae)	68
RETIEF, E. A new species of <i>Rhoicissus</i> from the Transvaal (Vitaceae)	231
ROBERTS, D.C. The vegetation ecology of municipal Durban, Natal. Floristic classification	271
ROUX, J.P. A new cytotype for <i>Acrostichum aureum</i> (Pteridophyta–Adiantaceae)	75
ROUX, J.P. Systematic studies in the genus <i>Mohria</i> (Anemiaceae: Pteridophyta). IV. Comparative gametophyte morphology in <i>Mohria</i> and <i>Anemia</i>	191
SMOOK, L. & ELLIS, R.P. <i>Panicum simulans</i> (Paniceae, Poaceae), a new species from southern Africa and its leaf anatomy	59
VERHOEVEN, R.L. & VENTER, H.J.T. Pollen morphology of <i>Curroria</i> , <i>Mondia</i> , <i>Socotranthus</i> and <i>Stomatostemma</i> (Periplocaceae)	105

INDEX—INDEKS

- Acrostemon concinnus* N.E. Br., 5
Acrostichum aureum L., 75
 Adiantaceae, 75
 Africa, 185
 South, 85, 91, 117
 southern, 1, 15, 49, 68, 77, 175, 207, 215, 223
 Afromontane forest, 137, 158, 239
 Allisoniaceae (Hepaticae), 79
 Allsopp, N. & Stock, W.D. Mycorrhizal status of plants growing in the Cape Floristic Region, South Africa, 91
Amphiglossa kolbei Bol., 200
Anemia Swartz, 191
 Anemiaceae, 191
Argyrolobium, 77
 hirsuticaule Harms, 77
 leptocladum Harms, 77
 lotoides Harv., 77
 rotundifolium T.J. Edwards, 77
 thodei Harms, 77
 variopile N.E. Br., 77
 Arundineae, 25
 Arundinoideae, 25
 Asclepiadaceae, 236
Asclepias reenensis N.E. Br., 237
Askepos Griffith, 49
 brevipes Griffith, 49
Aspidonepsis reenensis (N.E. Br.) A. Nicholas & D.J. Goyder 236, 237
 Asteraceae, 70, 175, 197
Athalamia Falconer, 207
 spathysii (Lindenb.) Hattori, 207
Avena macrocalycina Steud., 41
Baccharis
 ilicifolia Lam., 178
 neriifolia L., 176
 Barker, N.P. A biosystematic study of *Pentameris* (Arundineae, Poaceae), 25
 beetle-daisy, 70
Bequaertiodendron De Wild., 235
 magalismontanum (Sond.) Heine & Hemsley, 236
 natalense (Sond.) Heine & Hemsley, 236
 Bergfontein, Cape, 239
Blaeria, 1
 affinis N.E. Br., 3
 barbigera (Salisb.) G. Don, 6
 barbigera sensu Alm & Fries, 1
 campanulata Benth., 2
 coccinea Klotzsch, 4
 dumosa Wendl., 2
 var. *breviflora* N.E. Br., 2
 equisetifolia (Salisb.) G. Don, 2
 ericoides L., 3
 fastigiata Benth., 4
 flava H. Bol., 2
 flexuosa Benth., 4
 fuscescens Klotzsch, 4
 fuscescens sensu N.E. Br., 5
 grandis N.E. Br., 5
 klotzschii Alm & Fries, 4
 kraussiana Klotzsch ex Walpers, 5
 muirii L., 6
 oppositifolia L., 2
 purpurea Alm & Fries, 4
 purpurea L.f., 2
 pusilla Klotzsch, 4
 pusilla L., 4
 revoluta Bartl., 1
 sagittata (Klotzsch ex Benth.) Alm & Fries, 5
Blairia
 fuscescens Dietr., 4
 revoluta (Bartl.) Dietr., 1
Boivinella natalensis (Sond.) Pierre ex Aubrév. & Pellegr., 236
 Boosmansbos Wilderness Area, Cape, 129
Brachylaena R. Br., 175, 176
 dentata DC., non (Thunb.) Harv., 180
 dentata (Thunb.) Harv., 178
 discolor auct. non DC. 181
 discolor DC., 182
 subsp. *discolor*, 183
 var. *mossambicensis* J. Paiva, 183
 subsp. *transvaalensis* (Phill. & Schweick.) J. Paiva, 183
 elliptica (Thunb.) DC., 180
 elliptica auct., non (Thunb.) DC., 179
 glabra (L.f.) Druce, 178
 grandifolia DC., 178
 huillensis O. Hoffm., 179
 hutchinsii Hutch., 180
 ilicifolia (Lam.) Phill. & Schweick., 178
 natalensis Sch. Bip., 183
 neriifolia (L.) R. Br., 176
 racemosa (Thunb.) DC., 179
 rhodesiana S. Moore, 181
 rhodesiana auct. non S. Moore, 183
 rotundata S. Moore, 181
 transvaalensis Phill. & Schweick., 183
 uniflora Harv., 183
 Braun-Blanquet method, 117, 239, 271
 Bredenkamp, C.L. & Smith, G.F. A '*Bequaertiodendron*' by any other name? (Sapotaceae), 235
 Bredenkamp, G.J., 117
 Bruyns, P. A new species of *Kedrostis* from the western Cape (Cucurbitaceae), 233
 Burrows, J.E. & Edwards, T.J. Nomenclatural changes and additions to the genus *Ophioglossum* in Africa (Ophioglossaceae: Pteridophyta), 185
 Calycularia
 crispula Mitt., 79
 golae Gerola, 79
 Cape
 eastern, 111
 Floristic Region, 91
 Province, 9, 129, 239
 southwestern, 9
 western, 72, 233
 Cederberg, northern, 265
Chrysophyllum
 magalismontanum Sond., 236
 natalense Sond., 236
 Cilliers, S.S. Synopsis of the genus *Brachylaena* (Asteraceae) in southern Africa, 175
 cladistics, 25
 classification, 117, 129, 153, 239, 271
Clevea Lindb., 207
 rouselliana (Mont.) Leitgeb, 207
 spathysii (Lindenb.) K. Müll., 207
 Cleveaceae, 207
 Cliffortia
 amplexistipula Schltr., 67
 fasciculata Weim., 67
 micrantha Weim., 65
 cluster roots, 91
 comb. nov., 3, 4, 237
 conservation status, 25
Conyza neriifolia (L.) L'Hérit. ex Steud., 176
 Crotalariaeae (Fabaceae), 77
 Cucurbitaceae, 233
Curroria Planch., 105

- Cyathodium foetidissimum* Schiffn., 215, 220
 cytology, 25
 cytotype, 75
Danthonia
distichophylla Lehm., 42
longiglumis Nees, 37
speciosa Lehm. ex Nees, 41
thuarii Desv., 36
Dichominum Neck., 53
Disparago Gaertn., 197
 section *Disparago* Koekemoer, 202
 section *Laevicarpa* Koekemoer, 199
 section *Monticapra* Koekemoer, 199
 section *Uniflos* Koekemoer, 200
anomala Schltr. ex Levyns, 203
anomala Schltr. ex Bolus & Wolley-Dod, 203
barbata Koekemoer, 199
ericoides auct. non Berg. nec Gaertn., 200
ericoides (Berg.) Gaertn., 203
gomphrenoides Sch. Bip., 205
gongylodes Koekemoer, 199
hoffmanniana Schltr., 203
kolbei (H. Bol.) Hutch., 200
kraussii Sch. Bip., 204
lasiocarpa Cass., 203
laxifolia DC., 205
pilosa Koekemoer, 199
rosea Hutch., 200
seriphioides DC., 203
tortilis (DC.) Sch. Bip., 200
Diplopoda, 85
Dumortiera Nees, 49
hirsuta (Swartz) Nees, 49
 var. *angustior* Gott., Lindenb. & Nees, 49
 var. *intermedia* Gott., Lindenb. & Nees, 49
 var. *irrigua* (Taylor) Spruce, 49
irrigua (Wilson) Nees, 49
spathysii (Lindenb.) Nees, 207
velutina Schiffn., 49
Dumortieroideae, 49
Durban, 271
 dynamics, 111
 Ea land type, 117
 eastern Cape, 111
 East London, 111
Eccrinales, 85
 Eckhardt, H.C., Van Rooyen, N. & Bredenkamp, G.J. The vegetation of the northeastern Orange Free State, South Africa: physical environment and plant communities of the Ea land type, 117
 ecology, 111, 117, 129, 153, 239, 265, 271
 Edwards, T.J. Notes on the genus *Argyrolobium* (Crotalariaeae) including a new species from southern Africa (Fabaceae), 77
 Ellis, R.P., 59
 Englerophytum
magalismontanum (Sond.) Pennington, 236
natalense (Sond.) Pennington, 236
Enterobryus, 85
centroboli Gorter, 86
chaleponci Gorter, 88
zinophorae Gorter, 87
Erica, 1, 9
barbigera Salisb., 6
barbigeroides E.G.H. Oliver, 1
blaeria Thunb., 3
chiroptera E.G.H. Oliver, 9
coccinea L., 4
dumosa Salisb., 3
ericoides (L.) E.G.H. Oliver, 3
equisetifolia Salisb., 2
fastigiata L., 4
flexuosa Andr., 4
fuscescens (Klotzsch) E.G.H. Oliver, 4
hermani E.G.H. Oliver, 11
ioniana E.G.H. Oliver, 12
klotzschii (Alm & Fries) E.G.H. Oliver, 4
kraussiana Klotzsch ex Walpers, 5
longimontana E.G.H. Oliver, 4
multiflexuosa E.G.H. Oliver, 4
parvula Guth. & Bol., 2
pusilla Salisb., 4
pusilla Thunb., 4
revoluta Bartl., 1
revoluta (H. Bol.) L.E. Davidson, 1
russakiana E.G.H. Oliver, 5
sagittata Klotzsch ex Benth., 4, 5
Ericaceae, 1, 9
Ericoideae, 1, 9
 errata, 263
Fabaceae, 68, 77
 Fellingham, A.C. Observations on *Cliffortia micrantha* (Rosaceae), 65
 Fellingham, A.C. *Cliffortia fasciculata*, a superfluous name for *C. amplexistipula* (Rosaceae), 67
 floristic classification, 271
 forest(s), 111, 129, 153, 239
 fynbos, 91, 129, 137, 153, 158, 239, 265
 gametophyte, 191
 geology, 117
 Gobetz, P.N., 111
Gollaniella Steph., 207
 Gorter, G.J.M.A. First report on the presence of *Enterobryus* species (Trichomycetes: Eccrinales) in South Africa and the description of three new species, 85
 Goyder, D.J., 236
 grain, 111
 Grassland Biome, 117
 guide for authors to *Bothalia*, 339
 gut fungi, 85
Hepaticae, 15, 49, 79, 207, 215, 223
 hepatic, 15, 79, 223
 Hutchinson's 'beetle-daisy' hypothesis, 70
Hygrophila Taylor, 49
Hygrophyla Taylor, 49
Hygropila Taylor, 49
Hygropyla Taylor, 49
irrigua (Wilson) Taylor, 49
Jensenia
spinosa (Lindenb. & Gott.) Grolle, 223
stephanii (Jack) Jones, 224
Jungermannia
lyellii Hook., 19
podophylla Thunb., 15
rhizobola Schwaegr., 15
Kedrostis psammophila Bruyns, 233
 key
Brachylaena spp., 176
Disparago sections, 198
Disparago spp., 198
Ophioglossum spp., 186
Pentameris spp., 35
 Koekemoer, M. Synopsis of the genus *Disparago* (Asteraceae), 197
Laevicarpa Koekemoer, section of *Disparago*, 199
 land types, 117
 Langeberg, Cape Province, 129, 153, 239
 leaf anatomy, 25, 59
Lotononis magnistipulata Dümmer, 77
Lunularia Adamson, 49, 53
cruciata (L.) Dum. ex Lindb., 49, 55
Lunulariaceae, 49
Makednothallus stephanii (Jack) Schust., 224
 Malawi, 79
Marchantia
hirsuta Swartz, 49
irrigua Wilson ex Hook., 49
spathysii Lindenb., 207

- Marchantiaceae, 49
 Marchantiales, 49, 207, 215
 Marloth Nature Reserve, Cape, 153
Marsilia O. Kuntze, 53
 McDonald, D.J. The vegetation of the southern Langeberg, Cape Province. 1. The plant communities of the Boosmansbos Wilderness Area, 129
 McDonald, D.J. The vegetation of the southern Langeberg, Cape Province. 2. The plant communities of the Marloth Nature Reserve, 153
 McDonald, D.J. The vegetation of the southern Langeberg, Cape Province. 3. The plant communities of the Bergfontein, Rooi-waterspruit and Phesantefontein areas, 239
 mediterranean-type shrublands, 91
 Metzgeriales (Hepaticae), 79, 223
 Midgley, J.J. An evaluation of Hutchinson's 'beetle-daisy' hypothesis (Asteraceae), 70
 Midgley, J.J. & Gobetz, P.N. Dynamics of the forest vegetation of the Umtiza Nature Reserve, East London, 111
 millipedes, 85
 Mohria Swartz, 191
 caffrorum (L.) Desv., 191
 marginalis (Sav.) J.P. Roux, 191
 vestita Bak., 191
 Moll, E.J., 265
 Mondia Skeels, 105
 Monticapa *Koekemoer*, section of *Disparago*, 199
 morphology, 25, 59, 191
 municipal Durban, 271
 Mustart, P.J., Moll E.J. & Taylor, H.C. The efficient use of small plots in a fynbos phytosociological study in the northern Cederberg: a quick way to collect plant-environmental data, 265
 mycorrhizas, 91
 Namibia, 59
 Natal, 271
 National Botanical Institute, South Africa: list of staff and publications, 327
Neoboivinella natalensis (Sond.) Aubrév. & Pellegr., 236
 new combination, 185, 237
 new cytotype, 75
 new sections, 197
 new species, 9, 59, 68, 72, 77, 85, 185, 231, 233
 Nicholas, A. & Goyder, D.J. Validation of the combination *Aspidonepsis reenensis* (Asclepiadaceae): the type species of the subgenus *Unguilibium*, 236
 nomenclature, 1
 nom. nov., 1, 4, 5
Oligocarpa Cass., 176
 neriifolia (L.) Cass., 176
 Oliver, E.G.H. Studies in the Ericoideae (Ericaceae). XII. The placing of the genus *Blaeria* into synonymy under *Erica*; nomenclatural and taxonomic changes for the southern African region, 1
 Oliver, E.G.H. Studies in the Ericoideae (Ericaceae). XIII. Three new species of *Erica* from the southwestern Cape, 9
 Oliver, E.G.H. A new species of *Oxalis* from the western Cape (Oxalidaceae), 72
 Ophioglossaceae, 185
 Ophioglossum, 185
 caroticaule J.E. Burrows, 186
 gomezianum Welw. ex A. Br. var. *latifolium* Prantl, 188
 gracillimum Welw. ex Hook. & Bak., 186
 gramineum Willd., 187
 lancifolium aggregate, 186
 lancifolium Presl, 188
 latifolium (Prantl) J.E. Burrows, 188
 lusitanicum L. var. *gracillimum* Welw. ex A. Br., 187
 luso-africanum Welw. ex Prantl, 188
 rubellum Welw. ex A. Br., 189
 vulgatum L. subsp. *africanum* Pocock ex J.E. Burrows, 189
 Orange Free State, 117
 Oxalidaceae, 72
Oxalis oculifera E.G.H. Oliver, 72
Oxymitra Bisch. ex Lindenb., 207, 210
 cristata Garside ex Perold, 207, 211
 Oxymitraceae, 207
Pachystela magalismontana (Sond.) Lecomte, 236
 Pallavicinia
 lyelii (Hook.) Carruth., 15, 19
 pilifera Steph., 19
 spinosa (Lindenb. & Gott.) Grolle, 223
 stephanii Jack, 223, 224
 Pallaviciniaceae, 15
 Pallavicinioideae, 223
Pallavicinius stephanii Jack, 224
Panicum, 59
 simulans Smook, 59
 Pentameris, 25
 distichophylla (Lehm.) Nees, 42
 dregeana Stapf, 42
 glacialis N.P. Barker, 44
 hirtiglumis N.P. Barker, 39
 longiglumis (Nees) Stapf, 37
 subsp. *gymnocolea* N.P. Barker, 39
 subsp. *longiglumis*, 37
 macrocalycina (Steud.) Schweick., 41
 obtusifolia sensu Ellis, 41
 oreophila N.P. Barker, 41
 sp., 35, 41
 speciosa (Lehm. ex Nees) Stapf, 41
 swartbergensis N.P. Barker, 43
 thuarii Beauv., 36
 var. *burchellii* Stapf, 36
 uniflora N.P. Barker, 35
 Periplocaceae, 105
 Perold, S.M. The hepatics, *Symphyogyna podophylla* and *Pallavicinia lyelii* (Pallaviciniaceae) in southern Africa, 15
 Perold S.M. Studies in the Marchantiales (Hepaticae) from southern Africa. 1. The genus *Dumortiera* and *D. hirsuta*; the genus *Lumularia* and *L. cruciata*, 49
 Perold, S.M. The hepatic, *Calycularia crispula* (Metzgeriales) reported from Malawi and Zambia (Allisoniaceae), 79
 Perold, S.M. Studies in the Marchantiales (Hepaticae) from southern Africa. 2. The genus *Athalamia* and *A. spathysii*; the genus *Oxymitra* and *O. cristata*, 207
 Perold, S.M. Studies in the Marchantiales (Hepaticae) from southern Africa. 3. The genus *Targionia* and *T. hypophylla* with notes on *T. lorbeeriana* and *Cyathodium foetidissimum* (Targioniaceae), 215
 Perold, S.M. The hepatic, *Jensenia spinosa* (= *Pallavicinia stephanii*: Pallaviciniaceae) in southern Africa, 223
 Phesantefontein, Cape, 239
 phylogeny, 25
 phytosociological survey, 265
 phytosociology, 129, 153, 239, 265, 271
 PHYTOTAB, 271
 Pienaar, B.J. *Vigna kokii*, a new species from southern Africa (Fabaceae), 68
 plant communities, 129, 153, 239, 265
 Poaceae, 25, 59
 pollen morphology, 105
Pouteria
 magalismontana (Sond.) Meeuse, 236
 natalensis (Sond.) Meeuse, 236
 Pseudopentameris, 41
 Pteridophyta, 75, 185, 191
 publications by the staff of NBI, 336
Pycnoscenus Lindb., 210
 Retief, E. A new species of *Rhoicissus* from the Transvaal (Vitaceae), 231
Rhoicissus laetans Retief, 231
 Roberts, D.C. The vegetation ecology of municipal Durban, Natal. Floristic classification, 271
 Rooiwaterspruit, Cape, 239
 root systems, 91
 Rosaceae, 65, 67

- Roux, J.P. A new cytotype for *Acrostichum aureum* (Pteridophyta-Adiantaceae), 75
- Roux, J.P. Systematic studies in the genus *Mohria* (Anemiaceae: Pteridophyta). IV. Comparative gametophyte morphology in *Mohria* and *Anemia*, 191
- Sapotaceae, 235
- sect. nov., 199, 200, 202
- Sedgwickia* S. Bowdich, 53
- Selenia* J. Hill, 53
- Seriphium*
- ericoides* (Berg.) Pers., 203
- sp. auctt., 197
- Simocheilus purpureus* (Berg.) Druce, 2, 4
- size-class distribution, 111
- small plot sizes, 265
- Smith, G.F., 235
- Smook, L. & Ellis, R.P. *Panicum simulans* (Paniceae, Poaceae), a new species from southern Africa and its leaf anatomy, 59
- Socotranthus *Kuntze*, 105
- soils, 117
- South Africa, 85, 91, 117
- southern Africa, 1, 15, 49, 68, 77, 175, 207, 215, 223
- southwestern Cape, 9
- Spathysia* Nees ex Trevis., 207
- sp. nov., 9, 11, 12, 35, 39, 41, 43, 44, 59, 68, 72, 77, 85, 86, 87, 88, 186, 211, 231, 233
- stat. nov., 188
- Staurophora* Willd., 53
- Stock, W.D., 91
- Stoebe*
- ericoides* Berg., 203
- sp., 205
- sp. auctt., 197
- torta* Spreng., 203
- tortilis* DC., 200
- Stomatostemma* N.E. Br., 105
- subgen. nov., 236
- subsp. nov., 39, 189
- Symphyogyna
- harveyana* Taylor, 15
- podophylla (*Thunb.*) Mont. & Nees, 15
- rhizobola* (Schwaegr.) Nees & Mont., 15
- rigida* Steph., 15
- serrata* Mitten, 223
- spinosa* Lindenb. & Gott., 223
- synon. nov., 2, 77
- synopsis, 175, 197
- systematics, 15, 25, 191
- Tarchonanthus*
- camphoratus* auct. non L., 180
- dentatus* Thunb., 178
- ellipticus* Thunb., 180
- glaber* L.f., 178
- lanceolatus* Thunb., 176
- racemosus* Thunb., 179
- Targionia* (*Micheli*) L., 215
- bifurca* Nees & Mont., 215
- capensis* Hüb., 215
- convoluta* Lindenb. & Gott., 215
- hypophylla* L., 215
- var. *capensis* (Hüb.) Krauss, 215
- lorbeeriana* C. Müll., 215, 218, 219
- mexicana* Lehm. & Lindenb., 215
- michelii* Corda, 215
- Targioniaceae, 215
- Targioniodeae, 215
- taxonomy, 1, 9, 49, 175, 185, 197, 207, 215
- Taylor, H.C., 265
- Tessellina* Dumort., 210
- Thoracosperma galpinii* N.E. Br., 6
- Transvaal, 231
- Trichomycetes, 85
- Umtiza Nature Reserve, East London, 111
- Unguilibium* A. Nicholas & D.J. Goyder, 236
- Uniflos Koekemoer*, section of *Disparago*, 200
- urban open space, 271
- Van Rooyen, N., 117
- vegetation, 111, 117, 239, 271
- Venter, H.J.T., 105
- Verhoeven, R.L. & Venter, H.J.T. Pollen morphology of *Curroria*, *Monodia*, *Socotranthus* and *Stomatostemma* (Periplocaceae), 105
- Vigna kokii* B.J. Pienaar, 68
- Vitaceae, 231
- western Cape, 72, 233
- Wiesnerellaceae, 49
- Wigandia* Neck., 197
- disparaginoides* Less., 203
- Zambia, 79
- Zeyherella magalismontana* (Sond.) Aubrév. & Pellegr., 236

